

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

- 1-3. (Cancelled).
4. (Previously Presented) A balloon catheter comprising:
a first tubular member having a lumen extending the length therein;
a second tubular member coaxially disposed within at least a portion of the first tubular member with a distal segment extending distally beyond a distal end of the first tubular member;
a tie layer insert having a length disposed over a portion of the distal segment of the second tubular member; and
a balloon having a proximal waist length, a distal waist length and an expandable region therebetween, the expandable region of the balloon being in fluid communication with the lumen of the first tubular member, further wherein at least a portion of the proximal waist length of the balloon is affixed to the first tubular member and at least a portion of the distal waist length of the balloon is affixed to the tie layer, further wherein the tie layer length is substantially the same length as the distal waist portion length.
5. (Original) The balloon catheter of claim 4, wherein the balloon is manufactured from polyether block amide.
6. (Original) The balloon catheter of claim 5, wherein the second tubular member is manufactured from high density polyethylene.
7. (Original) The balloon catheter of claim 4, wherein the first tubular member and the second tubular member extend co-axially over substantially the entire length of the balloon catheter.

8. (Original) The balloon catheter of claim 4, wherein the material of the tie layer insert has a bonding affinity with both the first tubular member and the second tubular member.

9. (Original) The balloon catheter of claim 8, wherein the tie layer insert is manufactured from linear low density polyethylene.

10. (Original) The balloon catheter of claim 4, wherein the tie layer insert has more than one layer.

11. (Previously Presented) A balloon catheter comprising:
a first tubular member having a lumen extending the length therein;
a second tubular member coaxially disposed within at least a portion of the first tubular member with a distal segment extending distally beyond a distal end of the first tubular member;
a polymeric insert having a length disposed over and affixed to only a portion of the distal segment of the second tubular member; and
a balloon having a proximal waist length, a distal waist length and an expandable region therebetween, the expandable region of the balloon being in fluid communication with the lumen of the first tubular member, further wherein the proximal waist length of the balloon is affixed to the first tubular member at a first attachment site and the distal waist length of the balloon is affixed to the polymeric insert at a second attachment site, further wherein the polymeric insert length is about the same length as the distal waist length.

12. (Original) The balloon catheter of claim 11, wherein the balloon is manufactured from polyether block amide.

13. (Original) The balloon catheter of claim 12, wherein the second tubular member is manufactured from high density polyethylene.

14. (Original) The balloon catheter of claim 11, wherein the polymeric insert is cylindrical in shape.

15. (Original) The balloon catheter of claim 14, wherein the polymeric insert comprises more than one layer.

16. (Original) The balloon catheter of claim 14, wherein the polymeric insert is manufactured from a functional polymer.

17. (Previously Presented) A balloon catheter comprising:
a first tubular member having a lumen extending the length therein;
a second tubular member coaxially disposed within at least a portion of the first tubular member with a distal segment extending distally beyond a distal end of the first tubular member;
a polymeric insert having a length disposed over at least a portion of the distal segment of the second tubular member; and
a balloon having a proximal balloon waist length, a distal balloon waist length and an expandable region therebetween, the balloon further comprising a polymeric material having a bonding affinity with both the first tubular member and the polymeric insert while lacking a bonding affinity with the second tubular member, further wherein the proximal balloon waist length of the balloon is affixed to the first tubular member and the distal balloon waist length of the balloon is affixed to the polymeric insert, further wherein the polymeric insert length is about the same length as the distal balloon waist length.

18. (Original) The balloon catheter of claim 17, wherein the balloon is manufactured from polyether block amide.

19. (Original) The balloon catheter of claim 18, wherein the second tubular member is manufactured from high density polyethylene.

20. (Original) The balloon catheter of claim 17, wherein the polymeric insert comprises more than one layer.

21. (Original) The balloon catheter of claim 20, wherein the polymeric insert comprises linear low density polyethylene.

22. (Previously Presented) A process for improved bonding between an expandable balloon and a catheter shaft, the process comprising the steps of:

providing a catheter shaft having an outer tubular member and an inner tubular member, wherein the inner tubular member has a proximal end, a distal end and a lumen extending therein, and further wherein the inner tubular member is coaxially disposed within at least a portion of the outer tubular, with a portion of the inner tubular member extending distally beyond the distal end of the outer tubular member;

providing a polymeric insert having a length;

disposing the polymeric insert over a portion of the inner tubular member extending distally beyond the distal end of the outer tubular member;

providing an expandable balloon having a first end, a second end and an expandable region therebetween;

affixing the first end of the expandable balloon to a portion of the outer tubular member;
and

affixing the second end of the expandable balloon to substantially the entire polymeric insert length.